


**COBALT® Secure Concealed Sensor  
Flush Valve for NEXUS® Controllers  
for Water Closets**

**1.6 gpf / 6.0 Lpf**



Part No. 101826 : 3200 : 1.6

► **Description**

COBALT® Secure Concealed Touch Sensor Flush Valve for NEXUS® Controllers for Water Closets; 1.6 gpf / 6.0 Lpf; No Vacuum Breaker; No Control Stop

► **Features**

- 1.6 gpf / 6.0 Lpf
- Patented ProLAST® T-Seal, featuring a single-piece design, glass-reinforced polymer substrate with TPE overmolded seals, and a stainless steel, integral bypass filter
- TPE overmolded seals are chlorine and chloramine resistant, to prevent failure in the worst water conditions
- Dynamic sealing design provides accurate and consistent flush performance over time
- All water closets use the same ProLAST® T-Seal for easy maintenance
- Solenoid lead with watertight connector
- Adjustable tailpiece allows for variations in rough-in

► **Solenoid Type (must select one)**

- 24VAC (For use with Standard NEXUS® I-CON Controllers)
- 9VDC (For use with Battery Powered NEXUS® I-CON Controllers)

► **Accessories**

For additional accessories, see the Accessories Section of the I-CON catalog or contact our Customer Service Team for details.

► **Water Closet Flush Volume**

1.6 gpf / 6.0 Lpf

**Recommended Specification**

**I-CON COBALT® Secure 101826 Concealed Sensor Flush Valve for NEXUS® Controllers** is a sensor operated, dynamic sealing, concealed flush valve for water closets operated by a NEXUS® controller. The valve body is cast brass with a rough exterior finish. It utilizes the I-CON patented ProLAST® T-Seal, featuring a single-piece design, glass-reinforced polymer substrate with TPE over-molded seals, and a stainless steel integral bypass filter. The flush volume is 1.6 gpf / 6.0 Lpf.

*\* battery life depends on usage, operating conditions, and storage conditions*

**IMPORTANT NOTE:** Do not use abrasive or chemical cleaners and do not pressure wash valves.

 **WARNING:** Cancer and Reproductive Harm - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

This space is for Architect/Engineer approval



The information contained in this document is subject to change without notice.