


powered by
PROLAST[®]



Intelligent Water Conservation™



The COBALT[®] Secure Exposed Sensor Flush Valve is designed for maximum performance and greater reliability than a diaphragm or piston valve.

101716 Series

SIMPLE • POWERFUL • ACCURATE

Water Closets



101716 : 3010

Exposed Sensor Flush Valve for Water Closets; Top Spud; 11.5" Rough In



101716 : 3015

Exposed Sensor Flush Valve for Water Closets; Top Spud; 16" Rough In



101716 : 3020

Exposed Sensor Flush Valve for Water Closets; Top Spud; 24" Rough In



101716 : 3025

Exposed Sensor Flush Valve for Water Closets; Top Spud; 27" Rough In



101716 : 3030

Exposed Sensor Flush Valve for Water Closets; Rear Spud; 11.5" Rough In



101716 : 3035

Exposed Sensor Flush Valve for Water Closets; Rear Spud; 16" Rough In



101716 : 3040

Exposed Sensor Flush Valve for Water Closets; Rear Spud; 24" Rough In



101716 : 3045

Exposed Sensor Flush Valve for Water Closets; Rear Spud; 27" Rough In

Water Closets & Urinals



101716 : 3000

Exposed Sensor Flush Valve for Urinals & Water Closets; Less Vacuum Breaker Assembly; Less Angle Stop



101716 : 3005

Exposed Sensor Flush Valve for Urinals & Water Closets; Less Vacuum Breaker Assembly

Urinals



101716 : 3050


Exposed Sensor Flush Valve for Urinals; 3/4" Top Spud; 11.5" Rough In



101716 : 3055

Exposed Sensor Flush Valve for Urinals; 1-1/4" Top Spud; 11.5" Rough In

powered by ProLAST®



ProLAST®

	Flush Volume				
Water Closets	1.1gpf	1.28gpf	1.6gpf	2.4gpf	3.5gpf
Urinals	0.125gpf	0.25gpf	0.5gpf	1.0gpf	—

ProLAST® T-Seal Technology: Single piece unit, industry's largest bypass, seals at low PSI, tamper proof GPF, no natural rubber components, lasts up to 5x longer than industry standard.